

1520EU

Protector

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

· Watertight, crushproof, and dustproof

- Automatic pressure equalization valve balances interior pressure, keeps water out
- Comfortable rubber over-molded handle
- · Easy open double-throw latches
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Pick N Pluck[™] with convoluted lid foam
- Stainless steel hardware and padlock protectors
- Made in Germany
- Peli's legendary lifetime guarantee**
- * Where applicable by law



CONFIGURATIONS



1520EU Standard



1524 With Padded Dividers



1520NF No Foam



1520WF With Foam

DIMENSIONS

Interior (L×W×D) 17.68 x 12.53" x 6.73 (44.9 x 31.8 x 17.1 cm) Exterior (L×W×D) 19.65 x 15.49" x 7.53 (49.9 x 39.3 x 19.1 cm)

 Lid Depth
 1.79" (4.5 cm)

 Bottom Depth
 4.93" (12.5 cm)

 Total Depth
 6.72" (17.1 cm)

 Int Volume
 0.86 ft³ (0.024 m³)

 Padlock Hole Diameter
 5/16" (12.7 cm)

MATERIALS

Body Polypropylene

LatchABSO-RingPolymerPinsStainless SteelFoam1.3 lb Polyurethane

Purge Body ABS

Purge Vent 3 Micron Hydrophobic Non-Woven

COLOURS



WEIGHT

 Weight With Foam
 9.35 lbs (4.2 kg)

 Weight Empty
 8.29 lbs (3.8 kg)

 Buoyancy
 63.00 lbs (28.6 kg)

 Master Pack Weight
 23.30 lbs (10.6 kg)

TEMPERATURE

Minimum Temperature -40°F (-40 °C) **Maximum Temperature** 210°F (98.9 °C)

CERTIFICATIONS

IP67

MIL C-4150J Def Stan 81-41

OTHER

Master Pack2NameplateyesMilitaryyes

ACCESSORIES



1508 Photographer's Lid Organizer



1509 Lid Organizer



1521 3 pc. Replacement Foam Set



OD Green

1523 Replacement O-ring



1525 Padded Divider Set



1520TPKIT TrekPak Case Divider Kit



1507 Quick Mounts - set of 4



1506TSA TSA Lock



1500D Desiccant Silica Gel



1520PFSpecial Application Panel Frame



1520TPDIV Extra TrekPak Dividers

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 04-12-25