



## 2350

Taktische Lampen

Get a grip on LED performance. Peli's 2350 LED Flashlight emits up to 178 lumens of concentrated light. Powered by one AA alkaline battery, it's one of the brightest flashlights in its class. At only 4.23", you'll always want the Peli™ 2350 LED Flashlight in your pocket.

Its small size does not reflect its performance or features. The 2350 provides three modes, High / Strobe / Low. Additionally, it is programmable allowing the end user to select from four different programs.

The Peli™ 2350 LED Flashlight: Small size. Large Performance.

- Vier programmierbare Modi
- Beschränkte lebenslange Garantie von Peli\*\*
- 3 Modi: Hoch / Niedrig / Blinken
- 178 lumen
- Abnehmbare Taschenklemme
- AA Batterie (Inklusive)
- \*\*Die lebenslange Garantie gilt nicht, wo dies gesetzlich unzulässig ist



### GRÖSSE

<b>Länge</b>	4.23" (10.7 cm)
--------------	-----------------

### MATERIALEN

<b>Gehäuse</b>	Aluminum with Type II Anodized
<b>O-Ring Dichtung</b>	EPDM
<b>Linse</b>	Polycarbonate (PC)
<b>Drehkopf</b>	Aluminum with Type II Anodized
<b>Clip</b>	High Carbon Steel

### FARBEN

- Black

### LIGHT SPECS

<b>Lampentyp</b>	LED
------------------	-----

### POWER

<b>Batteriegröße</b>	AA
<b>Batterietyp</b>	Alkaline
<b>Anzahl der Batterien</b>	1
<b>inklusive Batterien</b>	ja
<b>Volt</b>	1.5v

### GEWICHT






<b>Gewicht mit Batterien</b>	3.4 oz (96 gr)
<b>Gewicht ohne Batterien</b>	2.6 oz (74 gr)
<b>Packaged Weight</b>	4.2 oz (119 gr)

## SWITCH

<b>Schaltertyp</b>	Push Button Tail
<b>Leuchtmodi</b>	High / Strobe / Low

## ANDERE

<b>Mindestmenge</b>	6
<b>Militär</b>	ja
<b>Verpackungscode</b>	C

FL1 STANDARD	HIGH	LOW
	178 LUMENS	15 LUMENS
	2h 15mins	21h 0mins
	130m	37m
	4196cd	345cd
	IPX7	

## ZUBEHÖR



**2469P**  
Ersatzbatterie

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 07-17-24*