

# 1440

## **Protector**

Top Loader Case

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- Strong polyurethane wheels with stainless steel bearings
- · Watertight, crushproof, and dustproof
- Automatic pressure equalization valve balances interior pressure, keeps
- Comfortable rubber over-molded handle
- · Easy open double-throw latches
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Pick N Pluck™ with convoluted lid foam
- Retractable extension trolley handle
- Stainless steel padlock protectors



#### **CONFIGURATIONS**



1440 Standard



& Lid Organizer



With Utility Padded Divider Set With Padded Office Divider Set & Lid Organizer



1440NF No Foam



1440WF With Foam

#### **DIMENSIONS**

Interior (L×W×D) 17.10 x 7.50" x 16.00 (43.4 x 19.1 x 40.6 cm) Exterior (L×W×D) 19.70 x 12.00" x 18.00 (50 x 30.5 x 45.7 cm)

**Lid Depth** 2.00" (5.1 cm) **Bottom Depth** 14.00" (35.6 cm) **Total Depth** 16" (40.6 cm) Int Volume 1.19 ft3 (0.034 m3) Padlock Hole Diameter 0.31" (0.8 cm)

### **MATERIALS**

**Body** Polypropylene

Latch ABS **O-Ring** Polymer **Pins** Stainless Steel **Foam** 1.3 lb Polyurethane

Purge Body ABS

**Purge Vent** 3 Micron Hydrophobic Non-Woven

# **COLOURS**



#### WEIGHT

 Weight With Foam
 16.50 lbs (7.5 kg)

 Weight Empty
 14.50 lbs (6.6 kg)

 Buoyancy
 95.30 lbs (43.2 kg)

 Master Pack Weight
 18.00 lbs (8.2 kg)

## **TEMPERATURE**

**Minimum Temperature** -40°F (-40 °C) **Maximum Temperature** 210°F (98.9 °C)

#### **CERTIFICATIONS**

IP67

Def Stan 81-41

## **OTHER**

Wheels 2
Extendable Handle yes
Master Pack 1
Nameplate yes

# **ACCESSORIES**



**1441** 6 pc. Replacement Foam Set



**1443** Replacement O-ring



**1445** Utility Padded Divider Set & Lid Organizer



**1446** Office Divider Set & Lid Organizer



**1449** Office Lid Organizer



**1506TSA** TSA Lock



**1500D** Desiccant Silica Gel

#### Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 05-18-24