



2410 StealthLite™

Our most demanding users wanted a safety-certified task light slim enough to fit in a pocket, but without sacrificing performance. We integrated a high-intensity, machined-aluminum LED module with a locking on/off toggle switch, which is ideal for operating with gloved hands. The 2410 represents a safety-certified task light with the compactness necessary for on-the-go tasks, but with all the performance and durability that you'd expect from Peli. Same features as the StealthLite™ 2400 Flashlight, but with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells (included).



- 4 AA piles alkaline (fournies)
- Cordon de sécurité
- Rotational switch with locking on / off feature
- Compact, slender design
- Indice d'étanchéité à l'eau IPX7

DIMENSIONS

| | |
|-----------------|-----------------|
| longueur | 7.00" (17.8 cm) |
|-----------------|-----------------|

MATÉRIAUX

| | |
|-------------------------------------|------------------------------------|
| corps | EXL |
| joint torique | Ethylene Propylene |
| lentille | Polycarbonate (PC) |
| revêtement | ABS |
| contact, ressort et fixation | Stainless Steel / Phosphore Bronze |

COULEURS

| | |
|---|--|
|  Black |  High Visibility Yellow |
|---|--|

LIGHT SPECS

| | |
|-----------------------|-----|
| type d'ampoule | LED |
|-----------------------|-----|

POWER

| | |
|-------------------------|----------|
| taille des piles | AA |
| type de piles | Alkaline |
| nombre de piles | 4 |
| piles incluses | Oui |
| volts | 6.0v |

POIDS

| | |
|-------------------------|-----------------|
| poids avec piles | 7.3 oz (207 gr) |
| poids sans piles | 3.7 oz (105 gr) |
| Packaged Weight | 8.4 oz (238 gr) |

SWITCH






type de commutateur One-handed Safety Switch
modes d'éclairage On / Off

CERTIFICATIONS

Class I, Division 1
Class II, Division 1
Class III, Division 1
IECEX ia
InMetro

AUTRES

submersible Oui
Pack Minimum 6
Domaine militaire Oui
Code de l'emballage C

| FL1 STANDARD | HIGH |
|---|---------------|
|  | 183 LUMENS |
|  | 5h 45mins |
|  | 184m |
|  | 8480cd |
|  | IPX7 |

ACCESSOIRES



0770

Support de torches pour casques

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 11-21-24