



2350

Tactical Flashlight

Get a grip on LED performance. Peli's 2350 LED Flashlight emits up to 178 lumens of concentrated light. Powered by one AA alkaline battery, it's one of the brightest flashlights in its class. At only 4.23", you'll always want the Peli™ 2350 LED Flashlight in your pocket.

Its small size does not reflect its performance or features. The 2350 provides three modes, High / Strobe / Low. Additionally, it is programmable allowing the end user to select from four different programs.

The Peli™ 2350 LED Flashlight: Small size. Large Performance.

- 4 Selectable Programs
- Peli Products, Inc.'s Lifetime Guarantee
- 3 modes High / Strobe / Low
- 178 Lumens
- Removable pocket clip
- 1 AA Battery (included)
- **Where applicable by law



DIMENSIONS

| | |
|---------------|-----------------|
| Length | 4.23" (10.7 cm) |
|---------------|-----------------|

MATERIALS

| | |
|---------------|--------------------------------|
| Body | Aluminum with Type II Anodized |
| O-Ring | EPDM |
| Lens | Polycarbonate (PC) |
| Shroud | Aluminum with Type II Anodized |
| Clip | High Carbon Steel |

COLOURS

■ Black

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|---------------------------|----------|
| Battery Size | AA |
| Battery Type | Alkaline |
| Battery Quantity | 1 |
| Batteries Included | yes |
| Volts | 1.5v |

WEIGHT

| | |
|---------------------------------|-----------------|
| Weight With Batteries | 3.4 oz (96 gr) |
| Weight Without Batteries | 2.6 oz (74 gr) |
| Packaged Weight | 4.2 oz (119 gr) |

SWITCH

Switch Type Push Button Tail
Light Modes High / Strobe / Low

OTHER

Minimum Pack 6
Military yes
Package Code C

| FL1 STANDARD | HIGH | LOW |
|---|---------------|--------------|
|  | 178 LUMENS | 15 LUMENS |
|  | 2h 15mins | 21h 0mins |
|  | 130m | 37m |
|  | 4196cd | 345cd |
|  | IPX7 | |

ACCESSORIES



2469P
Replacement Battery

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 03-29-25