



## 1975Z1

Stay trim and powerful in the danger zone. With ATEX Zone 1 (Category 2) certification, 94 blinding bright lumens, a run time of 8.25 hours, and a true penlight size and shape, the Peli™ 1975Z1 torch is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmoulded polymer, the Peli™ 1975Z1 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The 1975Z1 activates with a click of the tail switch or light pressure for momentary use.

The Peli™ 1975Z1 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount (sold separately)
- Safety Certified Zone 1 (Category 2)
- 94 Lumens



### DIMENSIONS

|               |                 |
|---------------|-----------------|
| <b>Length</b> | 5.75" (14.6 cm) |
|---------------|-----------------|

### MATERIALS

|               |     |
|---------------|-----|
| <b>Body</b>   | ABS |
| <b>O-Ring</b> | NBR |
| <b>Lens</b>   | PC  |
| <b>Shroud</b> | ABS |
| <b>Clip</b>   | ABS |

### COLOURS

|   |                        |
|---|------------------------|
|  | High Visibility Yellow |
|---|------------------------|

### LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER

|                           |          |
|---------------------------|----------|
| <b>Battery Size</b>       | AAA      |
| <b>Battery Type</b>       | Alkaline |
| <b>Battery Quantity</b>   | 2        |
| <b>Batteries Included</b> | yes      |
| <b>Volts</b>              | 3.0v     |

### WEIGHT






|                                 |                |
|---------------------------------|----------------|
| <b>Weight With Batteries</b>    | 1.9 oz (54 gr) |
| <b>Weight Without Batteries</b> | 1.0 oz (28 gr) |

## SWITCH

|                    |                       |
|--------------------|-----------------------|
| <b>Switch Type</b> | Momentary Push Button |
| <b>Light Modes</b> | High                  |

## CERTIFICATIONS

### ATEX Zone 1

| FL1 STANDARD  | HIGH         |
|---|--------------|
|    | 94<br>LUMENS |
|    | 8h 15mins    |
|   | 22m          |
|  | 122cd        |
|  | IP68         |

## ACCESSORIES



**1975H**  
Helmet Light Holder

### Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

