



2760

Headlamp

MULTI-BEAM FUNCTIONALITY AT YOUR FINGERTIPS

It's the one headlamp that does it all. Tough, lightweight, super bright and loaded with multiple lighting features that include high, medium, low, flashing, downcast, and night vision red LED modes. With all these options you can light up distant trails or the map in your hands. Designed for fast and easy battery changing with a weather resistant casing (full-time battery level indicator included).

The new 2760 LED headlamp. Simple, multi-beam functionality at a push of a button.

- Built Peli tough
- Hands-free design
- Night vision friendly
- Comfortable Cloth Strap
- Includes Full Time Battery Status Indication



DIMENSIONS

| | |
|--------|----------------|
| Length | 2.25" (5.7 cm) |
|--------|----------------|

MATERIALS

| | |
|--------|--------------------|
| Body | Polycarbonate (PC) |
| O-Ring | Over-molded TPR |
| Lens | Polycarbonate (PC) |
| Shroud | Polycarbonate (PC) |

COLOURS

| | |
|---|---|
|  Black |  Translucent Red |
|---|---|

LIGHT SPECS

| | |
|-----------|-----|
| Lamp Type | LED |
|-----------|-----|

POWER

| | |
|--------------------|----------|
| Battery Size | AAA |
| Battery Type | Alkaline |
| Battery Quantity | 3 |
| Batteries Included | yes |
| Volts | 4.5v |

WEIGHT

| | |
|--------------------------|----------------|
| Weight With Batteries | 3.4 oz (96 gr) |
| Weight Without Batteries | 2.1 oz (60 gr) |

SWITCH

| | |
|-------------|----------------------------------|
| Switch Type | Push Button |
| Light Modes | High / Low / Downcast / Flashing |

OTHER

| | |
|--------------|---|
| Minimum Pack | 1 |
| Package Code | C |

| FL1 STANDARD | HIGH | MEDIUM | LOW | DOWNCAST |
|---|---------------|---------------|--------------|--------------|
|  | 289 LUMENS | 156 LUMENS | 97 LUMENS | 42 LUMENS |
|  | 1h 30mins | 3h 15mins | 5h 30mins | 11h 0mins |
|  | 101m | 66m | 48m | 19m |
|  | 2540cd | 1097cd | 567cd | 88cd |
|  | 1m | | | |
|  | IPX4 | | | |

ACCESSORIES



2748
Strapless Headlamp Adapter

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 09-17-25