



## 3315RZ1

Ultra compact, lithium ion rechargeable and safety certified make the Peli™ 3315RZ1 one of the most versatile work torches available today. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3315RZ1 produces up to 176 lumens and provides up to 48 hours of continuous run time. 3 modes are provided, High / Low / Flashing. There is a full time battery level indicator built into the power switch so you'll always know when it's time to recharge. Additionally, there is a right angle adapter accessory (sold separately) that provides hands free lighting. The right angle adapter also allows the light head to articulate, directing the light exactly where you need it.

- Full Time Battery Level Indication
- 3 modes High / Strobe / Low
- Lithium Ion Rechargeable Battery
- Lanyard (included)
- Articulating right angle adapter with clip (sold separately)
- Safety Certified Atex Zone 1
- Up to 176 Lumens
- Up to 48 hours run time
- IP67 waterproof and dustproof




### DIMENSIONS

<b>Length</b>	6.11" (15.5 cm)
---------------	-----------------

### MATERIALS

<b>Body</b>	Anti-static Impact Modified PC/PBT
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	Anti-static Impact Modified PC/PBT

### COLOURS

 High Visibility Yellow

### LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

### POWER

<b>Battery Size</b>	18650
<b>Battery Type</b>	Lithium-Ion
<b>Battery Quantity</b>	1
<b>Batteries Included</b>	yes
<b>Rechargeable</b>	yes
<b>Charge Time</b>	5 hrs
<b>Battery Level Indicator</b>	RGB LED
<b>Volts</b>	3.7v

## WEIGHT

---

<b>Weight With Batteries</b>	4.6 oz (130 gr)
<b>Weight Without Batteries</b>	3.0 oz (85 gr)

## SWITCH

---

<b>Switch Type</b>	Push Button
<b>Light Modes</b>	High / Low / Flashing

## CERTIFICATIONS






---

**ATEX Zone 1**  
**IECEX ib**

## OTHER

---

<b>Minimum Pack</b>	1
<b>Package Code</b>	C

<b>FL1 STANDARD</b>	<b>HIGH</b>	<b>LOW</b>
	176 LUMENS	22 LUMENS
	5h 30mins	48h 0mins
	127m	44m
	4022cd	492cd
	IP67	

## ACCESSORIES

---



**3317**  
Right Angle Adapter



**8056F**  
12v Plug-in for Fast Charger



**3318Z1**  
Deck/Dash Charger Base Unit



**3319Z1**  
Replacement Battery



**6061F**  
Direct Wiring Rig for Fast Charger

**Peli**

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 09-27-21*