

# 3315RZ0

The unique Peli™ 3315RZ0 LED light is powered by a special designed lithium rechargeable battery that provides a life expectancy of over 2,000 cycles, 4 times more than the 500 cycles that batteries usually last. Lightweight and with three lighting modes (high/low/flashing), it shines up to 132 lumens of clear brilliant light and delivers a run time up to 34 hours in a small compact design. Additionally, the 3315RZ0 features a full time battery level indicator that is conveniently integrated into the switch. Its ergonomic polymer body is engineered with a sure-grip texture and includes a lanyard to provide another layer of drop protection.

- Full Time Battery Level Indication
- Ingress Protected IPX7
- 3 modes High / Strobe / Low
- Lanyard (included)
- Special Lithium rechargeable battery provides 2,000 cycles (a 300% increase)
- Up to 132 Lumens
- Up to 34 hours, 15 minutes run time



#### DIMENSIONS

**Length** 6.11" (15.5 cm)

#### **MATERIALS**

**Body** Anti-static PC/PBT

O-Ring NBF

Lens Anti-static coated Polycarbonate (PC)

**Shroud** Anti-static PC/PBT

#### **COLOURS**

High Visibility Yellow

#### LIGHT SPECS

Lamp Type LED

### **POWER**

Battery Size 18650

**Battery Type** Lithium Iron Phosphate

Battery Quantity1Batteries IncludedyesRechargeableyesCharge Time10 hrsBattery Level IndicatorRGB LEDVolts3.2v

### WEIGHT

Weight With Batteries 4.6 oz (130 gr)

Weight Without Batteries

3.0 oz (85 gr)

## **SWITCH**

Switch Type Light Modes Push Button

High / Low / Flashing

### **CERTIFICATIONS**

IECEx ia
ATEX Zone 0

FL1 STANDARD	HIGH	LOW
314	132 LUMENS	15 LUMENS
$\Theta$	5h 0mins	34h 0mins
	108m	35m
	2931cd	308cd
The	IP67	

## **ACCESSORIES**



**3318Z0**Deck/Dash Charger Base Unit



**3317** Right Angle Adapter



**8056F** 12v Plug-in for Fast Charger

#### Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 04-17-24