



7070R

Tactical Flashlight

Along with the progress in electronic technology, the 7070R has become the most advanced flashlight in the Peli line. Incorporating wireless charging and Bluetooth app controlled programming are just two such examples.

In addition to these futuristic features, the 7070R includes full time battery level indication, dual switch design and extreme high performance light output. All of this yet in a more compact design.

The dual switch feature is another first from Peli as seen in the 7060 model. The dual switch technology allows the light to be activated by either a forward mounted switch (good for all general duty use) or a rear mounted switch (conductive for tactical applications).

Another first, the custom programming allows the user to personalize the modes through the intuitive app. This unique app allows the user to program up to 5 switch sequences with varied light levels and/or flashing modes.

The 7070R incorporates a rechargeable lithium-ion battery that uses a versatile wireless charger, another futuristic first.

For the latest in flashlight technology, the exciting Peli 7070R is clearly the leader.



- Full Time Battery Level Indication
- Peli Products, Inc.'s Lifetime Guarantee
- Lithium Ion Rechargeable Battery
- USB Wireless Charging
- Bluetooth App Programming
- Dual Switches
- Anti-Reflective Coated Hardened Glass Lens
- **Where applicable by law

DIMENSIONS

Length	6.88" (17.5 cm)
---------------	-----------------

MATERIALS

Body	Xenoy
O-Ring	NBR
Lens	AR Coated Glass
Shroud	Aluminum with Type III Anodized

COLOURS

■ Black

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	18650
Battery Type	Lithium-Ion
Battery Quantity	1
Batteries Included	yes






Rechargeable yes
Charge Time 8 hrs
Battery Level Indicator Full-time battery indicator
Volts 3.7v

WEIGHT

Weight With Batteries 7.9 oz (224 gr)

SWITCH

Switch Type 3-Way Side and Tail Switches
Light Modes Programmable Modes

FL1 STANDARD	HIGH	MEDIUM	LOW
	1219 LUMENS	626 LUMENS	32 LUMENS
	2h 15mins	4h 15mins	32h 0mins
	235m	168m	40m
	13872cd	7066cd	400cd
	IPX8 (1m)		

ACCESSORIES



2389
 Replacement Battery

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 08-08-20