



2410 StealthLite™

Our most demanding users wanted a safety-certified task light slim enough to fit in a pocket, but without sacrificing performance. We integrated a high-intensity, machined-aluminum LED module with a locking on/off toggle switch, which is ideal for operating with gloved hands. The 2410 represents a safety-certified task light with the compactness necessary for on-the-go tasks, but with all the performance and durability that you'd expect from Peli. Same features as the StealthLite™ 2400 Flashlight, but with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells (included).



- So hell wie eine Xenon-Lampe mit der Batterielebensdauer einer LED
- Widerstandsfähigkeit von Peli
- Tauchfähig
- Extrem heller LED Strahl
- Beschränkte lebenslange Garantie von Peli**
- **Die lebenslange Garantie gilt nicht, wo dies gesetzlich unzulässig ist


GRÖSSE

Länge	7.00" (17.8 cm)
--------------	-----------------

MATERIALEN

Gehäuse	EXL
O-Ring Dichtung	Ethylene Propylene
Linse	Polycarbonate (PC)
Drehkopf	ABS
Kontakt Feder/Halterung	Stainless Steel / Phosphore Bronze

FARBEN

 Black	 High Visibility Yellow
---	--

LIGHT SPECS

Lampentyp	LED
------------------	-----

POWER

Batteriegröße	AA
Batterietyp	Alkaline
Anzahl der Batterien inklusive Batterien	4 ja
Volt	6.0v

GEWICHT

Gewicht mit Batterien	7.3 oz (207 gr)
Gewicht ohne Batterien	3.7 oz (105 gr)

Packaged Weight 8.4 oz (238 gr)

SWITCH






Schaltertyp One-handed Safety Switch
Leuchtmodi On / Off

ZERTIFIZIERUNGEN

Class I, Division 1
Class II, Division 1
Class III, Division 1
IECEX ia

ANDERE

tauchfähig ja
Mindestmenge 6
Militär ja
Verpackungscode C

FL1 STANDARD	HIGH
	126 LUMENS
	7h 30mins
	161m
	6500cd
	IPX7

ZUBEHÖR



0770
Helmhalter für Lampenmontage

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 06-30-24