



## 2780R

Headlamp

The most powerful headlamp in the Peli™ line is now available! Meet the 2780R. With 676 lumens of brilliant light, USB lithium ion rechargeable battery along with a host of features, the 2780R makes for one of the most intriguing headlamps. The easy grip dial provides selection of the Main LED which illuminates everything in front with a beam distance of 139 meters, the Downcast LED illuminates everything below in a wide diffused pattern providing safe pathways, illuminated reading spaces and allowing for non-blinding face to face conversations, both beams combined, or a helpful flashing mode round out the forward light outputs. The easy grip dial also incorporates a push to select High / Medium / Low settings. Additional features offered in the 2780R are a unique rear mounted battery pack that provides full time battery level indication, charging levels and a rear mounted red LED safety light.

The Peli™ 2780R Rechargeable LED Headlamp: The very best in hands free lighting.

- Downcast LED Technology
- Includes 3 interchangeable Covers (Black, White, Photoluminescent)
- 676 High Intensity Lumens
- USB Lithium Ion Rechargeable
- Rear Mounted Red LED
- Pivoting Head
- Comfortable Cloth Strap
- Includes Full Time Battery Status Indication



### DIMENSIONS

**Length** 3.00" (7.6 cm)

### MATERIALS

**Body** Polycarbonate (PC)  
**O-Ring** Gasket  
**Lens** Polycarbonate (PC)  
**Shroud** Polycarbonate (PC)

### COLOURS

■ Black / White /  
Photoluminescent

### LIGHT SPECS

**Lamp Type** LED  
**Lamp Secondary Type** LED

### POWER

**Battery Size** 18650  
**Battery Type** Lithium-Ion  
**Battery Quantity** 1  
**Batteries Included** yes  
**Rechargeable** yes

**Charge Time** 6 hrs  
**Battery Level Indicator** 3 Blue LEDs  
**Volts** 3.7v

**WEIGHT**






**Weight With Batteries** 7.3 oz (207 gr)  
**Weight Without Batteries** 5.6 oz (159 gr)

**SWITCH**

**Switch Type** Rotary / Push Button  
**Light Modes** High / Medium / Low / Downcast / Spot / Flashing

**OTHER**

**Minimum Pack** 1  
**Package Code** C

| FL1 STANDARD  | HIGH       | MED        | LOW       | HIGH       | MED        | LOW        | HIGH       | MED        | LOW       | HIGH       |
|---|------------|------------|-----------|------------|------------|------------|------------|------------|-----------|------------|
|    | 397 LUMENS | 185 LUMENS | 92 LUMENS | 676 LUMENS | 252 LUMENS | 118 LUMENS | 414 LUMENS | 187 LUMENS | 93 LUMENS | 333 LUMENS |
|  | 4h 30mins  | 6h 0mins   | 13h 0mins | 2h 30mins  | 4h 15mins  | 10h 0mins  | 4h 30mins  | 5h 45mins  | 13h 0mins | h 0mins    |
|  | 139m       | 93m        | 65m       | 139m       | 93m        | 65m        | 139m       | 93m        | 65m       | 139m       |
|  | 4824cd     | 2158cd     | 1051cd    | 4824cd     | 2158cd     | 1051cd     | 4824cd     | 2158cd     | 1051cd    | 4824cd     |
|  | IPX7       |            |           |            |            |            |            |            |           |            |

**ACCESSORIES**



**2389**  
Replacement Battery

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 04-25-26*