

1535

Air

Carry-On Case

Peli™ Air cases are the toughest and lightest cases Peli has to offer. Designed with a super-light proprietary HPX² polymer construction, each Peli Air case is up to 40 percent lighter than an average polymer case, yet still extremely durable. Peli Air cases are waterproof, crushproof, and dustproof.

The Peli 1535 Air Case provides protection for a wide variety of gear, from camera equipment to camping kits. It is available with foam, without foam, padded dividers, or TrekPak dividers. The Peli 1535 Air Case is the maximum airline carry-on size, so you can travel with your sensitive gear close at hand. This Peli Air case will lighten the load, while protecting your valued possessions.

(Check with your airline for exact measurement requirements)

- Maximum airline carry on size*
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Fold down over-molded handle
- Retractable extension trolley handle
- Stainless steel padlock protectors
- · Business card holder
- Quiet rolling stainless-steel bearing wheels
- *Check with your airline for exact measurement requirements
- Press and Pull™ Latches
- Limited Lifetime Warranty
- Super-light proprietary HPX^{2™} Polymer up to 40% lighter
- Waterproof O-ring seal
- · Waterproof, crushproof, dustproof
- IP67 & MIL-SPEC certified



CONFIGURATIONS







No Foam



1535WD With Padded Dividers



1535TP



With Foar



1535AIRTPF TrekPak / Foam Hybrid



1535AV Universal Camera

DIMENSIONS

Interior (L×W×D) 20.39 x 11.20" x 7.21 (51.8 x 28.4 x 18.3 cm) Exterior (L×W×D) 21.96 x 13.97" x 8.98 (55.8 x 35.5 x 22.8 cm)

 Lid Depth
 2.00" (5.1 cm)

 Bottom Depth
 5.21" (13.2 cm)

 Total Depth
 7.21" (18.3 cm)

 Int Volume
 0.95 ft³ (0.027 m³)

 Padlock Hole Diameter
 0.31" (0.8 cm)

MATERIALS

Latch ABS
O-Ring EPDM
Purge Body ABS

Purge Vent Hi-Flow Gore-Tex 3 Micron Hydrophobic Non-Woven

COLOURS



WEIGHT

 Weight With Foam
 9.98 lbs (4.5 kg)

 Weight Empty
 8.69 lbs (3.9 kg)

 Buoyancy
 64.80 lbs (29.4 kg)

 Weight With TrekPak / Foam Hybrid
 11.91 lbs (5.4 kg)

TEMPERATURE

Minimum Temperature 0°F (-17.8 °C) **Maximum Temperature** 140°F (60 °C)

OTHER

Wheels 2

ACCESSORIES



1535AirFS 5 pc. Replacement Foam Set



1535AirDS Padded Divider Set



1535TP-KIT TrekPak Case Divider Kit



1510TPDIV Extra TrekPak Dividers



1506TSA TSA Lock



1500D Desiccant Silica Gel



1535MP EZ-Click™ MOLLE Panel



RucPac-Pro-1 RucPac Pro Hardcase Backpack Conversion



RucPac-normal RucPac Standard Hardcase Backpack Conversion



AIRHANDL EZ-Pull Multi-Stage Air Handle



1535TPDIV Extra TrekPak Dividers

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 11-02-25