

8050

M11™

Tactical Flashlight

The Peli™ M11™ Flashlight uses a rechargeable 4 C Ni-MH battery stick and a hi-pressure Xenon lamp to generate powerful, bright pre-focused beam. The body is molded with an all weather no-slip grip pattern. The new castle top shroud alerts user when light is left on while standing head down. The push button on/off switch operates easily even when wearing thick gloves.

Options include fast chargers, direct wiring, 12V adapters, transformers and more. The fast charger fully charges the Ni-MH battery stick in 4 to 5 hours, preparing the M11 $^{\text{TM}}$ flashlight for a full day's work. The fast charger can be mounted horizontally or upright and an LED indicator illuminates when the M11 $^{\text{TM}}$ flashlight is charged. Mount the M11 $^{\text{TM}}$ flashlight in vehicles using the 12V adapter or direct wiring kit. The durable rechargeable Ni-MH battery pack can take a charge over 1,000 times.

CAUTION: This Peli Flashlight is a high output Professional Grade Lighting Product and can generate significant heat and light intensity. Do not leave activated flashlight unattended. Do not cover activated flashlight. Do not place activated flashlight against combustible material or material that could be damaged by heat. Keep activated flashlight well ventilated. If the lamp is activated while in a case or other container, the lamp could overheat and cause damage to surrounding materials.

- · Built Peli tough
- Rechargeable battery pack
- · Super bright Xenon beam
- Peli's legendary lifetime guarantee**
- **Where applicable by law



DIMENSIONS

Length 11.25" (28.6 cm)

MATERIALS

Body Xenoy

O-Ring Ethylene Propylene Lens Polycarbonate (PC)

Shroud Xenoy

Contact Spring Retainer Stainless Steel

COLOURS



LIGHT SPECS

Lamp Type Incandescent (Xenon)

POWER

Battery TypeNiMHBattery Quantity4Batteries Includedyes

RechargeableyesCharge Time5 hrsVolts4.8v

WEIGHT

Weight With Batteries17.9 oz (507 gr)Weight Without
Batteries7.0 oz (198 gr)Packaged Weight3.3 oz (94 gr)

SWITCH

Switch Type Push Button Light Modes On / Off

OTHER

Minimum Pack1MilitaryyesPackage CodeB

FL1 STANDARD	HIGH
31/4	164 LUMENS
	2h 15mins
	256m
	16448cd
	IPX4

ACCESSORIES



8054 Lamp Module



8069 Replacement Battery



8070 Deck/Dash Charger Base Unit



6061F Direct Wiring Rig for Fast Charger



8056F 12v Plug-in for Fast Charger



8060F Charger Assembly



6058H 220V Transformer (UK)

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 04-16-24