



2400Z1 StealthLite™

Same features as the StealthLite™ 2400Z1 with static-dissipation materials body. StealthLite 2400Z1 is ATEX certified safe for use in hazardous Zone 1 (Category 2) locations, and is perfect for professionals who work in areas with high risk of explosion such as chemical, pharmaceutical, power, oil and gas, and fire rescue.



DIMENSIONS

Length	6.49" (16.5 cm)
---------------	-----------------

MATERIALS

Body	Anti-static Impact Modified PC/PBT
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	Anti-static Impact Modified PC/PBT
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLOURS

 Gray
--

LIGHT SPECS

Lamp Type	Incandescent (Xenon)
------------------	----------------------

POWER

Battery Size	AA
Battery Type	Alkaline
Battery Quantity	4
Batteries Included	yes
Volts	6.0v

WEIGHT

Weight With Batteries	7.1 oz (201 gr)
Weight Without Batteries	3.5 oz (99 gr)

SWITCH






Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

ATEX Zone 1

OTHER

Package Code C

FL1 STANDARD	HIGH
	38 LUMENS
	4h 30mins
	156m
	6194cd
	IPX7

ACCESSORIES



0770
Helmet Light Holder

0780
Helmet Light Holder

