



2410 StealthLite™

Our most demanding users wanted a safety-certified task light slim enough to fit in a pocket, but without sacrificing performance. We integrated a high-intensity, machined-aluminum LED module with a locking on/off toggle switch, which is ideal for operating with gloved hands. The 2410 represents a safety-certified task light with the compactness necessary for on-the-go tasks, but with all the performance and durability that you'd expect from Peli. Same features as the StealthLite™ 2400 Flashlight, but with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells (included).

- 4 alcalinas pilas AA (incluidas)
- Cordón de seguridad
- Rotational switch with locking on / off feature
- Compact, slender design
- Índice de estanqueidad al agua IPX7



DIMENSIONES

longitud	7.00" (17.8 cm)
-----------------	-----------------

MATERIALES

Cuerpo	EXL
anillo de sellado de neopreno	Ethylene Propylene
lente	Polycarbonate (PC)
cubierta	ABS
contacto, resorte y retenedor	Stainless Steel / Phosphore Bronze

COLORES

Black	High Visibility Yellow
-------	------------------------

LIGHT SPECS

tipo de sistema de iluminación	LED
---------------------------------------	-----

POWER

tamaño de las pilas	AA
tipo de pilas	Alkaline
cantidad de pilas	4
pilas incluidas	sí
voltios	6.0v

PESO

peso con las pilas	7.3 oz (207 gr)
---------------------------	-----------------

peso sin las pilas 3.7 oz (105 gr)
Packaged Weight 8.4 oz (238 gr)

SWITCH


tipo de interruptor One-handed Safety Switch
modos de iluminación On / Off

CERTIFICACIONES

Class I, Division 1
Class II, Division 1
Class III, Division 1
IECEX ia
InMetro

OTRAS

sumergible sí
Minimum Pack 6
Aplicaciones militares sí
Código del paquete C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 45mins
	184m
	8480cd
	IPX7

ACCESORIOS



0770

Soporte de linternas para cascos

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 05-05-26