



2410 StealthLite™

Our most demanding users wanted a safety-certified task light slim enough to fit in a pocket, but without sacrificing performance. We integrated a high-intensity, machined-aluminum LED module with a locking on/off toggle switch, which is ideal for operating with gloved hands. The 2410 represents a safety-certified task light with the compactness necessary for on-the-go tasks, but with all the performance and durability that you'd expect from Peli. Same features as the StealthLite™ 2400 Flashlight, but with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells (included).

- 4 alcalinas pilas AA (incluidas)
- Cordón de seguridad
- Rotational switch with locking on / off feature
- Compact, slender design
- Índice de estanqueidad al agua IPX7



DIMENSIONES

longitud	7.00" (17.8 cm)
-----------------	-----------------

MATERIALES

cuerpo	EXL
anillo de sellado de neopreno	Ethylene Propylene
lente	Polycarbonate (PC)
cubierta	ABS
contacto, resorte y retenedor	Stainless Steel / Phosphore Bronze

COLORES

Black	High Visibility Yellow
-------	------------------------

LIGHT SPECS

tipo de sistema de iluminación	LED
---------------------------------------	-----

POWER

tamaño de las pilas	AA
tipo de pilas	Alkaline
cantidad de pilas	4
pilas incluidas	sí
voltios	6.0v

PESO

peso con las pilas	7.3 oz (207 gr)
peso sin las pilas	3.7 oz (105 gr)

Packaged Weight 8.4 oz (238 gr)

SWITCH






tipo de interruptor One-handed Safety Switch
modos de iluminación On / Off

CERTIFICACIONES

Class I, Division 1
Class II, Division 1
Class III, Division 1
IECEX ia
InMetro

OTRAS

sumergible sí
Minimum Pack 6
Aplicaciones militares sí
Código del paquete C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 45mins
	184m
	8480cd
	IPX7

ACCESORIOS



0770

Soporte de linternas para cascos

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 11-21-24