

# 7060 Tactical Flashlight

In a rare collaboration between public and private sectors, the City of Los Angeles Police Department (LAPD) has partnered with Peli Products to develop the Peli 7060 LED as the standard issue tactical/patrol flashlight for all its officers.

The Peli 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is self programmable. This allows the individual user to custom tailor the various modes to their liking. The light incorporates a rechargeable Lithium-Ion battery for maximum brightness and is also lightweight compared to standard batteries.

Battery, desk/dash charger, and multi-regional power supply included.



- Built Peli tough
- Super bright LED beam
- Lithium Ion Rechargeable Battery

#### DIMENSIONS

#### Length

8.65" (22 cm)

#### MATERIALS

Body	Xenoy
O-Ring	EPDM
Lens	Polycarbonate (PC)
Shroud	Xenoy

### COLOURS

Black

### LIGHT SPECS

Lamp Type	LED		

## POWER

Battery Size	18650
Battery Type	Lithium-Ion
<b>Battery Quantity</b>	1
<b>Batteries Included</b>	yes
Rechargeable	yes
Charge Time	5 hrs
Volts	3.7v

### WEIGHT

Weight With Batteries 10.4 oz (295 gr)

Weight Without Batteries

## SWITCH

Switch Type	3-Way Side and Tail Switches
Light Modes	High / Strobe / Medium / Low

1

## OTHER

Minimum Pack Package Code

FL1 STANDARD	HIGH	MEDIUM	LOW	
	535 LUMENS	218 LUMENS	26 LUMENS	
$\bigcirc$	3h 45mins	12h 0mins	68h 0mins	
	207m	131m	44m	
	10707cd	4297cd	481cd	
	IPX4			

## ACCESSORIES









7069 Replacement Battery

8056F 12v Plug-in for Fast Charger D

70706061FDeck/Dash Charger Base UnitDirect Wiring Rig for Fast Charger

#### Peli c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 09-17-25