



1975Z1

Stay trim and powerful in the danger zone. With ATEX Zone 1 (Category 2) certification, 94 blinding bright lumens, a run time of 8.25 hours, and a true penlight size and shape, the Peli™ 1975Z1 torch is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmoulded polymer, the Peli™ 1975Z1 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The 1975Z1 activates with a click of the tail switch or light pressure for momentary use.

The Peli™ 1975Z1 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount (sold separately)
- Safety Certified Zone 1 (Category 2)
- 94 Lumens



DIMENSIONS

| | |
|---------------|-----------------|
| Length | 5.75" (14.6 cm) |
|---------------|-----------------|

MATERIALS

| | |
|---------------|-----|
| Body | ABS |
| O-Ring | NBR |
| Lens | PC |
| Shroud | ABS |
| Clip | ABS |

COLOURS

| | |
|---|------------------------|
|  | High Visibility Yellow |
|---|------------------------|

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|---------------------------|----------|
| Battery Size | AAA |
| Battery Type | Alkaline |
| Battery Quantity | 2 |
| Batteries Included | yes |
| Volts | 3.0v |

WEIGHT






| | |
|---------------------------------|----------------|
| Weight With Batteries | 1.9 oz (54 gr) |
| Weight Without Batteries | 1.0 oz (28 gr) |

SWITCH

| | |
|--------------------|-----------------------|
| Switch Type | Momentary Push Button |
| Light Modes | High |

CERTIFICATIONS

ATEX Zone 1

| FL1 STANDARD | HIGH |
|---|--------------|
|  | 94 LUMENS |
|  | 8h 15mins |
|  | 22m |
|  | 122cd |
|  | IP68 |

ACCESSORIES



1975H
Helmet Light Holder

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

