

0340 Protector Cube Case

Sensitive equipment needs protection, and since 1976 the answer has been the Peli[™] Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, overmolded rubber handles and stainless steel hardware.

- Built-in, spring loaded pull handle
- Large 2-person fold down handles
- Stainless steel caster wheels included
- Watertight, crushproof, and dustproof
- 3 level Pick N Pluck[™] with convoluted lid foam
- Automatic pressure equalization valve balances interior pressure, keeps
- water out
- Easy open double-throw latches
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Stainless steel hardware and padlock protectors
- Peli's legendary lifetime guarantee**
- * Where applicable by law



CONFIGURATIONS



0340 Standard



0344 With Padded Dividers



0340NF No Foam



0340WF With Foam

DIMENSIONS

Interior (L×W×D)	18.00 x 18.00" x 18.00 (45.7 x 45.7 x 45.7 cm)
Exterior (L×W×D)	20.50 x 20.50" x 19.25 (52.1 x 52.1 x 48.9 cm)
Lid Depth	4.50" (11.4 cm)
Bottom Depth	13.50" (34.3 cm)
Total Depth	18" (45.7 cm)
Int Volume	3.38 ft ³ (0.096 m ³)
Padlock Hole Diameter	0.31" (0.8 cm)

MATERIALS

BodyPolypropyleneLatchABSO-RingPolymer

Pins	Stainless Steel
Foam	1.3 lb Polyurethane
Purge Body	ABS
Purge Vent	3 Micron Hydrophobic Non-Woven

COLOURS

Black

WEIGHT

Weight With Foam	29.76 lbs (13.5 kg)
Weight Empty	24.00 lbs (10.9 kg)
Buoyancy	220.46 lbs (100 kg)
Master Pack Weight	32.24 lbs (14.6 kg)

TEMPERATURE

Minimum Temperature	-40°F (-40 °C)
Maximum Temperature	210°F (98.9 °C)

CERTIFICATIONS

IP67 Def Stan 81-41

OTHER

4
1
yes
yes
yes

ACCESSORIES



0341 7 pc. Replacement Foam Set



0343 Replacement O-ring



0345 Padded Divider Set



0349 Lid Organizer



0357 Cube Case Mobility Package



1507 Quick Mounts - set of 4

Peli c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 05-20-24