



## 2460 StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight,. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Peli tough
- Rechargeable battery pack
- Submersible
- Super bright 1 watt LED beam
- Peli's legendary lifetime guarantee\*\*
- \*\*Where applicable by law



### CONFIGURATIONS



**2460**  
Standard



**2461B**  
Flashlight with battery only

### DIMENSIONS

|               |                 |
|---------------|-----------------|
| <b>Length</b> | 7.00" (17.8 cm) |
|---------------|-----------------|

### MATERIALS

|                                |                                    |
|--------------------------------|------------------------------------|
| <b>Body</b>                    | ABS                                |
| <b>O-Ring</b>                  | Ethylene Propylene                 |
| <b>Lens</b>                    | Polycarbonate (PC)                 |
| <b>Shroud</b>                  | ABS                                |
| <b>Contact Spring Retainer</b> | Stainless Steel / Phosphore Bronze |

### COLOURS

|                                                                                     |                        |
|-------------------------------------------------------------------------------------|------------------------|
|  | High Visibility Yellow |
|-------------------------------------------------------------------------------------|------------------------|

### LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER

|                         |      |
|-------------------------|------|
| <b>Battery Type</b>     | NiMH |
| <b>Battery Quantity</b> | 4    |

|                           |       |
|---------------------------|-------|
| <b>Batteries Included</b> | yes   |
| <b>Rechargeable</b>       | yes   |
| <b>Charge Time</b>        | 3 hrs |
| <b>Volts</b>              | 4.8v  |

### WEIGHT

|                                 |                 |
|---------------------------------|-----------------|
| <b>Weight With Batteries</b>    | 7.8 oz (221 gr) |
| <b>Weight Without Batteries</b> | 4.4 oz (125 gr) |
| <b>Packaged Weight</b>          | 1.4 oz (40 gr)  |

### SWITCH

|                    |                          |
|--------------------|--------------------------|
| <b>Switch Type</b> | One-handed Safety Switch |
| <b>Light Modes</b> | On / Off                 |

### CERTIFICATIONS

|                             |
|-----------------------------|
| <b>Class I, Division 2</b>  |
| <b>Class II, Division 2</b> |

### OTHER

|                     |     |
|---------------------|-----|
| <b>Submersible</b>  | yes |
| <b>Minimum Pack</b> | 1   |
| <b>Military</b>     | yes |
| <b>Package Code</b> | C   |

| FL1 STANDARD                                                                        | HIGH          |
|-------------------------------------------------------------------------------------|---------------|
|  | 183<br>LUMENS |
|  | 5h 0mins      |
|  | 179m          |
|  | 8050cd        |
|  | IPX7          |

# ACCESSORIES

---



**0770**  
Helmet Light Holder



**8056F**  
12v Plug-in for Fast Charger



**6061F**  
Direct Wiring Rig for Fast Charger



**2468H**  
220V Transformer (UK)

---

## Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 05-09-24*