


2410 StealthLite™

Our most demanding users wanted a safety-certified task light slim enough to fit in a pocket, but without sacrificing performance. We integrated a highintensity, machined-aluminum LED module with a locking on/off toggle switch, which is ideal for operating with gloved hands. The 2410 represents a safety-certified task light with the compactness necessary for on-the-go tasks, but with all the performance and durability that you'd expect from Peli.Same features as the StealthLite[™] 2400 Flashlight, but with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells (included).



- Built Peli tough
- Submersible
- Super bright LED beam
- Peli's legendary lifetime guarantee**
- **Where applicable by law

DIMENSIONS

Length

7.00" (17.8 cm)

MATERIALS

| Body | EXL |
|--------------------------------|------------------------------------|
| O-Ring | Ethylene Propylene |
| Lens | Polycarbonate (PC) |
| Shroud | ABS |
| Contact Spring Retainer | Stainless Steel / Phosphore Bronze |

LED

COLOURS

Black

High Visibility Yellow

LIGHT SPECS

Lamp Type

POWER

| Battery Size | AA |
|---------------------------|----------|
| Battery Type | Alkaline |
| Battery Quantity | 4 |
| Batteries Included | yes |
| Volts | 6.0v |

WEIGHT

Weight With Batteries7.3 oz (207 gr)Weight Without
Batteries3.7 oz (105 gr)



SWITCH

| Switch Type | One-handed Safety Switch |
|-------------|--------------------------|
| Light Modes | On / Off |

CERTIFICATIONS

| Class I, Division 1 Class II, Division 1 | | | |
|---|--|--|--|
| Class III, Division 1 | | | |
| IECEx ia | | | |

OTHER

| Submersible | yes |
|--------------|-----|
| Minimum Pack | 6 |
| Military | yes |
| Package Code | С |

| FL1 STANDARD | HIGH |
|--------------|---------------|
| | 126 LUMENS |
| | 7h 30mins |
| | 161m |
| | 6500cd |
| A CAR | IPX7 |

ACCESSORIES



0770 Helmet Light Holder

Peli c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 06-02-24