

2750CC

Headlamp

When you can't see the difference between one color cable from another, the job may be compromised. Now you can trust our select flashlights with new Correct Color technology to stop the guess work.

Common LED lights can produce an intense beam and lower CRI (Color Rendering Index), makingit difficult to distinguish between different color cables and overpower your work area with blinding bright light. Our new

Rendering Index), makingit difficult to distinguish between different color cables and overpower your work area with blinding bright light. Our new Correct Color flashlights are engineered with a higher CRI(90+ Color Rendering Index) allowing you to see color more accurately in your work environment. And with a low temperature beam (similar to incandescent flashlights) you get the benefits of our Correct Color technology that doesn't outshine the details.

- Up to 63m Beam Distance
- Up to 183 Lumens
- 2 Modes: High / Low
- 3 AAA Alkaline Batteries
- · Learn more about Correct Color Lights



DIMENSIONS

Length 2.25" (5.7 cm)

MATERIALS

BodyPolycarbonate (PC)O-RingOver-molded TPRLensPolycarbonate (PC)ShroudPolycarbonate (PC)

COLOURS

Photoluminescent

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AAA
Battery Type Alkaline
Battery Quantity 3
Batteries Included yes
Volts 4.5v

WEIGHT

Weight With Batteries 3.4 oz (96 gr)
Weight Without
Batteries 2.1 oz (60 gr)

SWITCH

Switch Type Light Modes Push Button High / Low / Flashing

OTHER

Minimum Pack Package Code 1 C

ge Code

FL1 STANDARD	HIGH	LOW
***	183 LUMENS	50 LUMENS
	2h 30mins	11h 0mins
	63m	31m
	989cd	240cd
	1m	
	IPX4	

ACCESSORIES



2748Strapless Headlamp Adapter

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 12-13-25